

WARNING LETTER

VIA UPS 2ND DAY AIR - 1ZWR25880299065353

April 18, 2012

Mr. Don Grimes
Operations Manager
Aircraft Service International Group
3201 Aolele St.
Honolulu, Hawaii 96819

CPF 5-2012-5006W

Dear Mr. Grimes:

On March 28, 2012, a representative of the Pipeline and Hazardous Materials Safety Administration (PHMSA), pursuant to Chapter 601 of 49 United States Code, inspected Aircraft Service International Group's (ASIG) Public Awareness Program in Honolulu, Hawaii.

As a result of the inspection, it appears that you have committed a probable violation of the Pipeline Safety Regulations, Title 49, Code of Federal Regulations. The item inspected and the probable violation is:

1. **§195.440 Public Awareness**
(c) The operator must follow the general program recommendations, including baseline and supplemental requirements of API RP 1162, unless the operator provides justification in its program or procedural manual as to why compliance with all or certain provisions of the recommended practice is not practicable and not necessary for safety.

ASIG did not perform the following program effectiveness evaluations as indentified in API RP 1162, Section 8.4.2 and 8.4.3:

1. Evaluation of all stakeholders understanding of ASIG's program messages or justify why the evaluation was not conducted.

2. Evaluation of desired behaviors of all stakeholder audiences or justify why the evaluation was not conducted.

Under 49 United States Code, § 60122, you are subject to a civil penalty not to exceed \$100,000 for each violation for each day the violation persists up to a maximum of \$1,000,000 for any related series of violations. We have reviewed the circumstances and supporting documents involved in this case, and have decided not to conduct additional enforcement action or penalty assessment proceedings at this time. We advise you to correct the items identified in this letter. Failure to do so will result in Aircraft Service International Group being subject to additional enforcement action.

No reply to this letter is required. If you choose to reply, in your correspondence please refer to **CPF 5-2012-5006W** and send all documents to our office at 188 W. Northern Lights Blvd., Suite 520, Anchorage, AK 99503. Be advised that all material you submit in response to this enforcement action is subject to being made publicly available. If you believe that any portion of your responsive material qualifies for confidential treatment under 5 U.S.C. 552(b), along with the complete original document you must provide a second copy of the document with the portions you believe qualify for confidential treatment redacted and an explanation of why you believe the redacted information qualifies for confidential treatment under 5 U.S.C. 552(b).

Sincerely,

Dennis Hinnah
Deputy Director, Western Region
Pipeline and Hazardous Materials Safety Administration

cc: PHP-60 Compliance Registry
PHP-500 B. Flanders (#137749)