State Damage Prevention Law Summary

State: North Carolina

(Link to State law provided in Law & Regulation section below)

Summary Date: 8/7/2017

Excavator Requirments

Excavation: Definition An	North Carolina General Statutes (NCGS) § 87-117 (5) Demolish or demolition Any operation by which a structure or mass of material is wrecked, azed, rendered, moved, or removed by any means, including the use of any tools, equipment, or discharge of explosives (9) Excavate or excavation In operation for the purpose of the movement or removal of earth, rock, or other materials in or on the ground by use of manale or mechanized equipment
ho	r by discharge of explosives, including, but not limited to, auguring, backfilling, boring, digging, ditching, drilling, directional drilling, driving, grading, orizontal directional drilling, well drilling, plowing-in, pounding, pulling-in, ripping, scraping, trenching, and tunneling.
Excavator: Definition	NCGS § 87-117 (10) Excavator A person engaged in excavation or demolition.
Excavator Notice to One Call Required (Yes / No)	Yes. (NCGS § 87-122 (a))
Excavator Notice Minimum #	3 days for non-subaqueous excavation;
Working Days Before Digging	10 days for subaqueous excavation.
Excavator Notice (Specific No Language) col giv sul	NCGS § 87-122. (a) Before commencing any excavation or demolition operation, the person responsible for the excavation or demolition shall provide or ause to be provided notice to the Notification Center of his or her intent to excavate or demolish. Notice for any excavation or demolition that does not avolve a subaqueous facility must be given within three to 12 full working days before the proposed commencement date of the excavation or demolition in the vicinity of a subaqueous facility must be given within 10 to 20 full working days before the proposed commencement date of the excavation or demolition. Notice given pursuant to this subsection shall expire 15 full working days after the date notice was given. No excavation or demolition may continue after this 15-day period unless the person responsible for the excavation or demolition provides a subsequent notice which shall be provided in the same manner as the original notice required by this subsection. When demolition of a building is proposed the operator shall be given a reasonable time in which to remove or protect the operator's facilities before the demolition commences.
Ticket Life (# of days)	15 (NCGS § 87-122 (a))
White-Line Required (Yes / No)	Yes. (NCGS § 87-122. (c))
Tolerance Zone sid	NCGS § 87-117. (22) Tolerance Zone If the diameter of the facility is known, the distance of one-half of the known diameter plus 24 inches on either ide of the designated center line or, if the diameter of the facility is not marked, 24 inches on either side of the outside edge of the mark indicating a facility r, for subaqueous facilities, a clearance of 15 feet on either side of the indicated facility.
Special Digging Requirements Within Tolerance Zone (Specific Language) factorial metals and the second sec	NCGS § 87-122. (c) (9) An excavator shall not perform any excavation or demolition within the tolerance zone unless the excavator complies with all of the following conditions: a. The excavator shall not use mechanized equipment, except noninvasive equipment specifically designed or intended to protect the integrity of the facility, within the marked tolerance zone of an existing facility until: 1. The excavator has visually identified the precise location of the acility or has visually confirmed that no facility is present up to the depth of excavation; 2. The excavator has taken reasonable precautions to avoid any substantial weakening of the facility's structural or lateral support, or both, or penetration or destruction of the facilities or their protective coatings; and 3. The excavator may use mechanical means, as necessary, for the initial penetration and removal of pavement or other materials requiring use of mechanica neans of excavation but only to the depth of the pavement or other materials. For parallel type excavations within the tolerance zone, the existing facility hall be visually identified at intervals not to exceed 50 feet along the line of excavation to avoid damages. The excavator shall exercise due care at all times of protect the facilities when exposing these facilities. b. The excavator shall maintain clearance between a facility and the cutting edge or point of any nechanized equipment, taking into account the known limit of control of the cutting edge or point, as may be reasonably necessary to avoid damage to the acility. c. The excavator shall provide support for facilities in and near the excavation or demolition area, including backfill operations, as may be reasonably required by the operator for the protection of the facilities. (10) The excavator shall not use mechanized equipment within 24 inches of a facility and is a gas, oil, petroleum, or electric transmission line has the same meaning as the term "transmission line" has the same meaning in the term "transmission line" in
Hand Dig / Vacuum or Soft Excavation Within Tolerance Zone (Yes / No)	Yes. (NCGS § 87-122. (c) (9) (a))

Preserve / Maintain Marks	Yes.
Required (Yes / No)	(NCGS § 87-122. (c) (7))
Call Again If No Response from	
Operator Or Signs Of Unmarked	Yes.
Facilities (Yes / No)	(NCGS § 87-122. (c) (6))
Notify One-Call if Marks Moved or	Yes.
No Longer Visible (Yes / No)	(NCGS § 87-122. (c) (7))
Special Language Regarding	No
Trenchless Technology (Yes / No)	
Separate Locate Request	V
Required for Each Excavator (Yes	Yes. (NCGS § 87-122. (a))
/ No)	(NCG3 § 07-122. (d))
Notify Operator of Damage (Yes /	Yes.
No)	(NCGS § 87-126. (a))
Notify One Call Center of Damage	Yes.
(Yes / No)	(NCGS § 87-126. (a))
Call 911 if Hazardous Materials	Yes.
Released (Yes / No)	(NCGS § 87-126. (b))
Notice Exemptions (Yes / No)	Yes
Notice Exemptions (Specific Language))	NCGS § 87-124. Exemptions. The notice requirements in G.S. 87-122(a) and G.S. 87-122(b) do not apply to the following: (1) An excavation or demolition performed by the owner of a single-family residential property on his or her own land that does not encroach on any operator's right-of-way, easement, or permitted use. (2) An excavation or demolition performed by the owner of a single-family residential property on his or her own land that encroaches on any operator's right-of-way, easement, or permitted use that is performed with nonmechanized equipment. (3) An excavation or demolition that involves the tilling of soil for agricultural or gardening purposes. (4) An excavation or demolition for agricultural purposes, as defined in G.S. 106-581.1 performed on property that does not encroach on any operator's right-of-way, easement, or permitted use. (5) An excavation by an operator or surveyor with nonmechanized equipment for the following purposes: a. Locating for a valid notification request or for the minor repair, connection, or routine maintenance of an existing facility or survey pin. b. Probing underground to determine the extent of gas or water migration. (6) An excavation or demolition performed when the Department of Transportation, a local government, special purpose district, or public service district is conducting maintenance activities within its designated right-of-way. Maintenance activities shall include resurfacing, milling, emergency replacement of signs critical formaintaining safety, or the reshaping of shoulders and ditches to the original road profile. Maintenance activities do not include the initial installation of traffic signs, traffic control equipment, or guardrails. (7) An excavation or demolition performed by a railroad entirely on land which the railroad owns or operates. (8) An excavation of a grave space, as defined in G.S. 65-48(10), the installation of a monument or memorial at grave space, or an excavation related to the placement of a temporary structure or tent by a cemeter
Operator Response	
Minimum # Days for Operator to	·
Respond After Receiving Notice	3 days for a facility; 10 days for subaqueous facility.

NCGS § 87-121 (a) An operator shall provide to the excavator the following: (1) The horizontal location and description of all of the operator's facilities in the area where the proposed excavation or demolition is to occur. The location shall be marked by stakes, soluble paint, flags, or any combination thereo as appropriate, depending upon the conditions in the area of the proposed excavation or demolition. The operator shall, when marking as provided under this subdivision, use the APWA Uniform Color Code. If the diameter or width of the facility is greater than four inches, the dimension of the facility shall be indicated at least every 25 feet in the area of the proposed excavation or demolition. An operator who operates multiple facilities in the area of the proposed excavation or demolition shall locate each facility. (2) Any other information that would assist the excavator in identifying and thereby avoiding damage to the marked facilities. (b) Unless otherwise provided in a written agreement between the operator and the excavator, the operator shall provide to the excavator the information required by subsection (a) of this section within the times provided below: (1) For a facility, within three full working days after the day notice of the proposed excavation or demolition was provided to the Notification Center. (2) For a subaqueous facility, within 10 full working days after the day notice of the proposed excavation or demolition was provided to the Notification Center. (3) If the operator declares an extraordinary circumstance the times provided in this subsection shall not apply. (c) The operator shall provide a positive response to the Notification Center before the expiration of the time provided in subsection (b) of this section. The response shall indicate whether and to what extent the operator is able to provide the information required by subsection (a) of this section to respond to the notice from the excavator. (d) If the operator determines that provisions for marking subaqueou facilit
Yes.
(NCGS § 87-123)
NCGS § 87-123 (a) Every person who is an excavator, locator, or operator under this Article by virtue of engaging in these activities in the course of a business or trade has a duty to provide education and training to employees and to document such education and training. The training shall include sufficient information, guidance, and supervision such that employees can competently and safely operate the equipment used in the course of the business or trade and complete assigned tasks in a competent and safe manner while minimizing the potential for damage. (b) When an excavator, locator, or operator under this Article retains an independent contractor to perform activities regulated by this Article, the duty set forth in subsection (a) of this section shall not apply to the excavator, locator, or operator. Independent contractors shall provide training to their employees in accordance with this section (d Locators shall be properly trained. Locator training shall be documented. (2013-407, s. 2.)
20 to 101, d. 2.)
No
Not addressed. (Reference NCGS § 87-121 (a))
No
No
Not addressed
No
Not addressed. (Reference NCGS § 87-121)

	NCGS § 87-121 (c) The operator shall provide a positive response to the Notification Center before the expiration of the time provided in subsection (b) of
	this section. The response shall indicate whether and to what extent the operator is able to provide the information required by subsection (a) of this section
Positive Response Required -	to respond to the notice from the excavator. (d) If the operator determines that provisions for marking subaqueous facilities are required, the operator will
Operator Contact One Call Center	provide a positive response to the Notification Center not more than three full working days after notice has been provided by the excavator. (e) If
(Yes / No)	extraordinary circumstances prevent the operator from marking the location of the facilities within the time specified in subsection (b) of this section, the
(1007110)	operator shall either notify the excavator directly or notify the excavator through the Notification Center. When providing the notification under this
	subsection, the operator shall state the date and time when the location will be marked.
Positive Response Required -	Yes
Operator Contact One Call Center	(NCGS § 87-117 (20) and § 87-120 (c) (6))
(Specific Language)	(NCGS § 07-117 (20) and § 07-120 (c) (0))
Positive Response - One-Call	No
Automated (Yes / No)	NO
Operator Must Provide One-Call	
Center with Information On	No
Locations of Buried Facilities (Yes	NO
/ No)	
Operator Must Provide One-Call	
Center with Information On	Not addressed.
Locations of Buried Facilities	(However, requirement is implied; see NCGS § 87-120 (a))
(Specific Language)	
Operator Must Update Information	
On Locations of Buried Facilities	No
(Yes / No)	
Operator Must Update Information	
On Locations of Buried Facilities	Not addressed.
(Specific Language)	(However, requirement is implied; see NCGS § 87-120 (a))
New Facilities Must Be Locatable	Yes.
Electronically	(NCGS § 87-121 (g))
(Yes / No)	(NCGS § 61-121 (g))
New Facilities Must Be Locatable	NCGS § 87-121 (g) All facilities installed by or on behalf of operators on or after the date this Article becomes effective shall be electronically locatable
Electronically (Specific Language)	using a locating method that is generally accepted by operators in the particular industry or trade in which the operator is engaged.
Design Request (Yes / No)	Yes.
Besign Request (1657 No)	(NCGS § 87-127)
	One Call, Enforcement, and Reporting
Mandatory One Call Membership	Yes.
(Yes / No)	(NCGS § 87-120 (a) and (b))
One Call Membership Exemptions	No
(Yes / No)	
One Call Membership Exemptions	Not addressed.
(Specific Language)	(Reference NCGS § 87-117 (18) and § 87-120 (a) and (b))
One-Call Law Addresses Board	No
Make-Up (Yes / No) One-Call Law Addresses Board	
	Not addressed
Make-Up (Specific Language) Separate Body Designated to	
	Von
Advise Enforcement Authority	Yes
(Yes / No)	

Separate Body Designated to Advise Enforcement Authority (Specific Language)	NCGS § 87-129 There is hereby established the Underground Damage Prevention Review Board to review reports of alleged violations of this Article. The members of the Board shall be appointed by the Governor. The Board shall consist of 15 members as follows: (1) A representative from the North Carolina Department of Transportation; (2) A representative from a facility contract locator; (3) A representative from the Notification Center; (4) A representative from an electric public utility; (5) A representative from the telecommunications industry; (6) A representative from a natural gas utility; (7) A representative from a hazardous liquid transmission pipeline company; (8) A representative recommended by the League of Municipalities; (9) A highway contractor licensed under G.S. 87-10(b)(2) who does not own or operate facilities; (11) A surveyor licensed under Chapter 89C of the General Statutes; (12) A representative from a rural water system; (13) A representative from an investor-owned water system; (14) A representative from an electric membership corporation; and (15) A representative from a cable company (a4) Eight members of the Board shall constitute a quorum. (a5) The Governor shall designate one member of the Board as chair. (a6) The Board may adopt rules to implement this Article. (b) The Notification Center shall transmit all reports of alleged violations of this Article and accompanying information. If the Board determines that a person has violated any provision of this Article, the Board shall review all reports of alleged violations of this Article and accompanying information. If the Board determines that a person has violated any provision of this Article in writing of the Board's determined the appropriate action or penalty to impose for each such violation. Actions and penalties may include training, education, and a civil penalty not to exceed two thousand five hundred dollars (\$2,500). The Board shall notify each person who is determined to have violated this Article in writing of the Bo
Penalties / Fines Excavators (Yes / No)	Yes
Penalties / Fines Excavators (Specific Language)	NCGS § 87-129 (b1) The Board shall review all reports of alleged violations of this Article and accompanying information. If the Board determines that a person has violated any provision of this Article, the Board shall determine the appropriate action or penalty to impose for each such violation. Actions and penalties may include training, education, and a civil penalty not to exceed two thousand five hundred dollars (\$2,500). The Board shall notify each person who is determined to have violated this Article in writing of the Board's determination and the Board's recommended action or penalty. A person determined to be in violation of this Article may request a hearing before the Board, after which the Board may reverse or uphold its original finding. If the Board recommends a penalty, the Board shall notify the Utilities Commission of the recommended penalty, and the Utilities Commission shall issue an order imposing the penalty.
Penalties / Fines Operators (Yes / No)	Yes
Penalties / Fines Operators (Specific Language)	NCGS § 87-129 (b1) The Board shall review all reports of alleged violations of this Article and accompanying information. If the Board determines that a person has violated any provision of this Article, the Board shall determine the appropriate action or penalty to impose for each such violation. Actions and penalties may include training, education, and a civil penalty not to exceed two thousand five hundred dollars (\$2,500). The Board shall notify each person who is determined to have violated this Article in writing of the Board's determination and the Board's recommended action or penalty. A person determined to be in violation of this Article may request a hearing before the Board, after which the Board may reverse or uphold its original finding. If the Board recommends a penalty, the Board shall notify the Utilities Commission of the recommended penalty, and the Utilities Commission shall issue an order imposing the penalty.
Penalties / Fines Other (Yes / No)	Yes
Penalties / Fines Other (Specific Language)	NCGS § 87-129 (b1) The Board shall review all reports of alleged violations of this Article and accompanying information. If the Board determines that a person has violated any provision of this Article, the Board shall determine the appropriate action or penalty to impose for each such violation. Actions and penalties may include training, education, and a civil penalty not to exceed two thousand five hundred dollars (\$2,500). The Board shall notify each person who is determined to have violated this Article in writing of the Board's determination and the Board's recommended action or penalty. A person determined to be in violation of this Article may request a hearing before the Board, after which the Board may reverse or uphold its original finding. If the Board recommends a penalty, the Board shall notify the Utilities Commission of the recommended penalty, and the Utilities Commission shall issue an order imposing the penalty.
Enforcement Authority Identified	North Carolina Utilities Commission (NCGS § 87-129 (b1))
Damage Investigation Required by Enforcement Authority (Yes / No)	Yes. (NCGS § 87-129 (b1))

Mandatory Reporting of			
Excavation Damage by All Utility	No		
Owners to State Entity or			
Department (Yes / No)			
Mandatory Reporting by			
Excavators to State Entity or	No		
Department (Yes / No)			
Mandatory Reporting to State	No.		
Entity or Department - Gas Only	(Reference NC Utility Commission Rule R6-41)		
(Yes / No)	(Netertale No Guilly Commission Nate No. 4.1)		
Law and Regulation			
	North Carolina General Statutes (NCGS) §§ 87-115 to -130, "Underground Utility Safety and Damage Prevention Act		
Statute / Law (Name & Link)	(http://www.ncleg.net/gascripts/statutes/statutelookup.pl?statute=87)		
	Also see One-Call Center Website for Information on State Law.		
Date of Last Revision to Statute /	October 22, 2015		
Law	October 22, 2010		
Administrative Rules /	No		
Regulations (Yes / No)	NO		
Administrative Rules /	None		
Regulations (Name & Link)	Note		
State One Call Center(s)	North Carolina 811		
(Name & Link)	(http://www.nc811.org)		
	Miscellaneous Notes		
Notes	0		
State Damage Prevention / One-			
Call Law Recently Revised With			
Future Implementation Dates	"		
i uture implementation dates			