



U.S. Department
Of Transportation
Pipeline and
Hazardous Materials
Safety Administration

820 Bear Tavern Road, Suite 103
West Trenton, NJ 08628
609.989.2171

OVERNIGHT EXPRESS DELIVERY

November 19, 2015

Mr. Steven Thompson
Senior Vice President
Eastern Shore Natural Gas Company
909 Silver Lake Boulevard
Dover, DE 19901

CPF 1-2015-1022M

Dear Mr. Thompson:

From November 17 through November 21, 2014, representatives of the Pipeline and Hazardous Materials Safety Administration (PHMSA), Office of Pipeline Safety (OPS), pursuant to Chapter 601 of 49 United States Code inspected the Eastern Shore Natural Gas Company (ESNG) Control Room Management (CRM) procedures in Dover, Delaware. As a result of the inspection, ESNG was issued a Notice of Amendment on September 9, 2015, which proposed amendment of your procedures.

ESNG submitted its amended procedures on October 8, 2015. My staff reviewed the amended procedures, and it appears that the inadequacies outlined in this Notice of Amendment have been corrected.

This letter is to inform you no further action is necessary and this case is now closed. Thank you for your cooperation in this matter.

Sincerely,

Byron Coy, PE
Director, Eastern Region
Pipeline and Hazardous Materials Safety Administration