



U.S. Department  
of Transportation

**Pipeline and  
Hazardous Materials  
Safety Administration**

820 Bear Tavern Road, Suite 103  
West Trenton, NJ 08628  
609.771.7800

**OVERNIGHT EXPRESS DELIVERY**

July 12, 2018

Joseph A. Blount, Jr.  
President and CEO  
Colonial Pipeline Company  
1185 Sanctuary Parkway  
Suite 100  
Alpharetta, GA 30009

**CPF 1-2018-5018M**

Dear Mr. Blount:

From June 20 to 22, 2017, a representative from the Pipeline and Hazardous Materials Safety Administration, Office of Pipeline Safety pursuant to Chapter 601 of 49 United States Code, conducted an on-site pipeline safety inspection of Colonial Pipeline Company's (Colonial) procedures in Woodbine, Maryland. As a result of the inspection, Colonial was issued a Notice of Amendment (NOA) on April 17, 2018, which proposed amendment of its procedures.

Colonial submitted its amended procedures on May 18, 2018. My staff reviewed the amended procedures, and it appears that the inadequacies outlined in this NOA have been corrected.

This letter is to inform you no further action is necessary and this case is now closed. Thank you for your cooperation.

Sincerely,

Robert Burrough  
Director, Eastern Region  
Pipeline and Hazardous Materials Safety Administration