

OVERNIGHT EXPRESS DELIVERY

November 18, 2019

Frank Katulak
President & Chief Operating Officer
Distrigas of Massachusetts, LLC
18 Rover Street
Everett, MA 02149

CPF 1-2019-3001M

Dear Mr. Katulak:

From June 11 to June 13, 2019, a representative from the Pipeline and Hazardous Materials Safety Administration (PHMSA), pursuant to Chapter 601 of 49 United States Code, conducted an on-site pipeline safety inspection of Distrigas of Massachusetts, LLC (Distrigas) procedures in Everett, Massachusetts. On June 13, 2019, Distrigas was notified of apparent inadequacies found within its procedures during the inspection exit interview. Distrigas provided updated procedures on June 25, 2019.

PHMSA issued a Notice of Amendment on September 17, 2019, which proposed amendment of your procedures. Distrigas provided its Record Retention procedures on November 13, 2019. My staff reviewed the amended procedures submitted on June 25, 2019 and the Record Retention procedures submitted on November 13, 2019, and it appears that the inadequacies outlined in this Notice of Amendment have been corrected.

This letter is to inform you no further action is necessary and this case is now closed. Thank you for your cooperation.

Sincerely,

Robert Burrough
Director, Eastern Region
Pipeline and Hazardous Materials Safety Administration