

CERTIFIED MAIL - RETURN RECEIPT REQUESTED

October 6, 2014

Mr. Connell R. Rader
President
Enmark Energy, Inc.
104 First Choice Drive, Suite A
Madison, MS 39110

CPF 2-2013-6013M

Dear Mr. Rader:

On August 12-15, 2013, representatives of the Pipeline and Hazardous Materials Safety Administration (PHMSA), Southern Region, Office of Pipeline Safety (OPS) inspected the Enmark Energy, Inc. (Enmark) Sandhill and Air Liquide Carbon Dioxide (CO₂) pipelines in Madison, Mississippi, pursuant to Chapter 601 of 49 United States Code. OPS issued a Notice of Amendment (NOA) on December 10, 2013.

Subsequent to the NOA, Enmark submitted revised procedures to the OPS Southern Region on January 28, 2014, March 14, 2014, April 28, 2014, and June 17, 2014. We reviewed all four responses as well as the documentation of the revised procedures dated July 30, 2014, that Enmark provided to OPS Southern Region personnel at Enmark's office on September 23 - 24, 2014. Based on our review of the actions taken by Enmark to amend its procedures and the supporting documentation, we have determined that Enmark has complied with the terms of the NOA and that no further action is necessary with regards to the NOA. This case is now closed.

Please be advised that this letter refers only to the above referenced order (CPF 2-2013-6013M) and not to any other PHMSA cases, if any.

If you have any questions on this or any other pipeline safety issue, please contact my office at (404) 832-1147.

Sincerely,

Wayne T. Lemoi
Director, Office of Pipeline Safety
PHMSA Southern Region