

**DELIVERY METHOD – VIA FEDERAL EXPRESS**

March 9, 2022

Mr. Joseph Blount  
President & Chief Executive Officer  
Colonial Pipeline Company  
1185 Sanctuary Parkway  
Suite 100  
Alpharetta, GA 30009

**CPF 2-2020-5003M**

Dear Mr. Blount:

Between January 14, 2009, and February 7, 2020, representatives of the Pipeline and Hazardous Materials Safety Administration (PHMSA) inspected Colonial Pipeline Company's (Colonial) written procedures covering its pipeline system in Alabama, Georgia, Louisiana, Mississippi, North Carolina, South Carolina, Tennessee, and Texas. pursuant to Chapter 601 of 49 United States Code. As a result of the inspection, Colonial was issued a Notice of Amendment (NOA) on December 15, 2020, which proposed amendments of Colonial's procedures.

Colonial submitted its amended procedures on February 12, 2021 and on February 21, 2022. PHMSA has reviewed the amended procedures, and it appears that the inadequacies outlined in the NOA have been corrected.

This letter is to inform you no further action is necessary, and this case is now closed.

Please be advised that this letter refers only to the referenced case (**CPF 2-2020-5003M**) and not to any other PHMSA cases, if any.

Sincerely,

James A. Urisko  
Director, Office of Pipeline Safety  
PHMSA Southern Region