



U.S. Department
of Transportation

**Pipeline and
Hazardous Materials Safety
Administration**

901 Locust Street, Suite 462
Kansas City, MO 64106-2641

**NOTICE OF PROBABLE VIOLATION
and
PROPOSED CIVIL PENALTY**

CERTIFIED MAIL - RETURN RECEIPT REQUESTED

August 20, 2007

Mr. Walter Ferguson
Division Senior Vice President
CenterPoint Energy / Mississippi River Transmission Company
1111 Louisiana, Suite 1120
Houston, TX 77002

CPF 3-2007-1014

Dear Mr. Ferguson:

On May 7-11 and 14-17, 2007, a representative of the Pipeline and Hazardous Materials Safety Administration (PHMSA) pursuant to Chapter 601 of 49 United States Code inspected your records and pipeline facilities in Columbia, Illinois and St. Louis, Missouri.

As a result of the inspection, it appears that you have committed probable violations of the Pipeline Safety Regulations, Title 49, Code of Federal Regulations. The items inspected and the probable violations are:

1. §192.731 Compressor stations: Inspection and testing of relief devices

Each remote control shutdown device must be inspected and tested at intervals not exceeding 15 months, but at least once each calendar year, to determine that it functions properly.

Mississippi River Transmission (MRT) personnel did not test the emergency shut-down system (ESD) in the St. Genevieve Compressor station within 15 months for the 2005-2006 inspection period. The review of the your MAXIMO records and scheduling database found that the inspection dates were May 5, 2005 and September 13, 2006, which exceeded the allowable 15 months by one month.

2. §192.739 Pressure limiting and regulating stations: Inspection and testing.

Each pressure limiting station, relief device (except rupture discs), and Pressure regulating station and its equipment must be subjected at intervals not exceeding 15 months, but at least once each calendar year, to inspections and tests to determine that it is—

- (3) Except as provided in paragraph (b) of this section, set to control or relieve at the correct pressure consistent with the pressure limits of §192.201(a);**

MRT personnel did not check the set point of the relief device on the fuel gas system for the turbine located at the St. Jacob compressor station. The time period that the relief valve was not inspected was from 2001 to 2006.

Your personnel indicated that there were no records of an inspection for this time period and that the relief valve inspection was probably overlooked. Although the relief valve was not checked for proper set point, it is utilized in your emergency shut-down (ESD) system for the station. Records revealed that during the inspection of the ESD, the relief valve is operated annually and checked for proper operation by the compressor station personnel. Immediately after the PHMSA May 2007 inspection, the relief valve set point was checked and found to be set at 280 psig. This is five (5) psig over the maximum allowable operating pressure plus allowable build-up pressure of 275 psig.

3. §192.743 Pressure limiting and regulating stations: Testing of relief devices.

Pressure relief devices at pressure limiting stations and pressure regulating stations must have sufficient capacity to protect the facilities to which they are connected. Except as provided in §192.739(b), the capacity must be consistent with the pressure limits of §192.201(a). This capacity must be determined at intervals not exceeding 15 months, but at least once each calendar year, by testing the devices in place or by review and calculations.

- a) MRT did not annually check the capacity of the relief device on the fuel gas system for the turbine at St. Jacob compressor station. The years that were missed were from 1997 to 2006.

After the inspection, your personnel researched the records storage in the Little Rock office, and found the capacity calculation review sheet for this relief device. The sheet revealed that the calculations were reviewed up until 1996. From that date on, the initialed areas were blank.

- b) MRT did not provide sufficient relief capacity to protect the facilities connected to a pressure limiting and regulating station. MRT did not install new or additional relief devices when they replaced the regulators on the fuel gas system for the turbine at St. Jacob compressor station in 2001. The capacity of the new regulators exceeded the capacity of the existing relief valve.

Records obtained from your personnel indicated that in 2001, the regulators on the fuel gas system were changed out from one-inch regulators to two inch regulators. No capacity review of the regulators and relief valve were done at that time. After the PHMSA 2007 inspection, a capacity calculation was done and found that the relief valve capacity was not adequate for the new regulators. As a result, your personnel immediately shut the fuel gas station in and locked it out until a new relief valve was installed.

Proposed Civil Penalty

Under 49 United States Code, § 60122, you are subject to a civil penalty not to exceed \$100,000 for each violation for each day the violation persists up to a maximum of \$1,000,000 for any related series of violations. The Compliance Officer has reviewed the circumstances and supporting documentation involved in the above probable violation(s) and has recommended that you be preliminarily assessed a civil penalty of \$71,000 as follows:

<u>Item number</u>	<u>PENALTY</u>
2	\$23,000
3a	\$23,000
3b	\$25,000

Warning Items

With respect to item one, we have reviewed the circumstances and supporting documents involved in this case and have decided not to conduct additional enforcement action or penalty assessment proceedings at this time. We advise you to promptly correct these item(s). Be advised that failure to do so may result in Mississippi River Transmission Company being subject to additional enforcement action.


Response to this Notice

Enclosed as part of this Notice is a document entitled *Response Options for Pipeline Operators in Compliance Proceedings*. Please refer to this document and note the response

options. Be advised that all material you submit in response to this enforcement action is subject to being made publicly available. If you believe that any portion of your responsive material qualifies for confidential treatment under 5 U.S.C. 552(b), along with the complete original document you must provide a second copy of the document with the portions you believe qualify for confidential treatment redacted and an explanation of why you believe the redacted information qualifies for confidential treatment under 5 U.S.C. 552(b). If you do not respond within 30 days of receipt of this Notice, this constitutes a waiver of your right to contest the allegations in this Notice and authorizes the Associate Administrator for Pipeline Safety to find facts as alleged in this Notice without further notice to you and to issue a Final Order.

In your correspondence on this matter, please refer to **CPF 3-2007-1014** and for each document you submit, please provide a copy in electronic format whenever possible.

Sincerely,



Ivan A. Huntoon
Director, Central Region
Pipeline and Hazardous Materials Safety Administration

Enclosure: *Response Options for Pipeline Operators in Compliance Proceedings*

Response Options for Pipeline Operators in Compliance Proceedings

The requirements of 49 C.F.R. Part 190, Subpart B (§§ 190.201–190.237) govern response to Notices issued by a Regional Director, Pipeline and Hazardous Materials Safety Administration (PHMSA).

Be advised that all material submitted by a respondent in response to an enforcement action is subject to being made publicly available. If you believe that any portion of your responsive material qualifies for confidential treatment under 5 U.S.C. 552(b), along with the complete original document you must provide a second copy of the document with the portions you believe qualify for confidential treatment redacted and an explanation of why you believe the redacted information qualifies for confidential treatment under 5 U.S.C. 552(b).

I. Procedures for Responding to a NOTICE OF PROBABLE VIOLATION:

Within 30 days of receipt of a Notice of Probable Violation, the respondent shall respond to the Regional Director who issued the Notice in the following way:

a. When the Notice contains a proposed CIVIL PENALTY* --

1. Pay the proposed civil penalty and advise the Regional Director of the payment. This authorizes PHMSA to make findings and to close the case with prejudice to the respondent. Payment terms are outlined below;
2. Submit written explanations, information, or other materials in response to the allegations and/or seek elimination or mitigation of the proposed civil penalty. Refer to 49 C.F.R. § 190.225 for assessment considerations, which include the respondent's ability to pay and the effect on the respondent's ability to stay in business, upon which civil penalties are based; or
3. Request a hearing as described below to contest the allegations and/or proposed assessment of a civil penalty.

b. When the Notice contains a proposed COMPLIANCE ORDER* --

1. Notify the Regional Director that you intend to take the steps in the proposed compliance order;
2. Submit written explanations, information, or other materials in answer to the allegations in the Notice and object to or seek clarification of the proposed compliance order items in whole or in part; or
3. Request a hearing as described below to contest the allegations and/or proposed compliance order items;

c. When the Notice contains a **WARNING ITEM** --

No written response is required. The respondent is warned that if it does not take appropriate action to correct these items, enforcement action will be taken if a subsequent inspection reveals a violation.

* Failure of the respondent to respond to the Notice within 30 days of receipt constitutes a waiver of the right to contest the allegations in the Notice and authorizes the Associate Administrator for Pipeline Safety to find facts as alleged in the Notice without further notice to the respondent and to issue a Final Order.

II. **Procedures for Responding to a NOTICE OF AMENDMENT*--**

Within 30 days of receipt of a Notice of Amendment, the respondent shall respond to the Regional Director who issued the Notice in the following way:

- a. Notify the Regional Director of your plans to address the inadequacies identified in the Notice;
- b. Submit written explanations, information, or other materials in answer to the allegations in the Notice and/or object to or seek clarification of the proposed amendment items in whole or in part; or
- c. Request a hearing as described below to contest the allegations in the Notice.

* Failure of the respondent to respond to the Notice within 30 days of receipt constitutes a waiver of the right to contest the allegations in the Notice and authorizes the Associate Administrator for Pipeline Safety to find facts as alleged in the Notice without further notice to the respondent and to issue a Final Order.

III. **Procedure for Requesting a Hearing**

A request for a hearing must be in writing and accompanied by a statement of the issues that the respondent intends to raise at the hearing. The issues may relate to the allegations, new information, or to the proposed compliance order or proposed civil penalty amount. Refer to 49 C.F.R. § 190.225 for assessment considerations upon which civil penalties are based. A respondent's failure to specify an issue may result in waiver of the right to raise that issue at the hearing. The respondent's request must also indicate whether or not respondent will be represented by counsel at the hearing. Failure to request a hearing in writing within 30 days of receipt of a Notice waives the right to a hearing. In addition, if the amount of the proposed civil penalty or the proposed corrective action is less than \$10,000, the hearing will be held by telephone, unless the respondent submits a written request for an in-person hearing. Complete hearing procedures can be found at 49 C.F.R. § 190.211.

IV. **Extensions of Time**

An extension of time to prepare an appropriate response to a Notice may be granted, at the agency's discretion, following submittal of a written request to the Regional Director. The request must indicate the amount of time needed and the reasons for the extension. The request must be submitted within 30 days of receipt of the Notice.

V. **Freedom of Information Act**

Any material prepared by PHMSA, including the violation report, the Notice, and any order issued in this case, and any material provided to PHMSA by the respondent, may be considered public information and subject to disclosure under the Freedom of Information Act (FOIA). If the information you provide is security sensitive, privileged, confidential or may cause your company competitive disadvantages, please clearly identify the material and provide justification why the documents, or portions of a document, should not be released under FOIA. If we receive a request for your material, we will notify you if PHMSA, after reviewing the materials and your provided justification, determines that withholding the materials does not meet any exemption provided under the FOIA. You may appeal the agency's decision to release material under the FOIA at that time. Your appeal will stay the release of those materials until a final decision is made.

VI. **Small Business Regulatory Enforcement Fairness Act Information**

The Small Business and Agricultural Regulatory Enforcement Ombudsman and 10 Regional Fairness Boards were established to receive comments from small businesses about federal agency enforcement actions. The Ombudsman will annually evaluate the enforcement activities and rate each agency's responsiveness to small business. If you wish to comment on the enforcement actions of the Pipeline and Hazardous Materials Safety Administration, call 1-888-REG-FAIR (1-888-734-3247) or go to http://www.sba.gov/ombudsman/dsp_faq.html.

VII. PAYMENT INSTRUCTIONS

Civil Penalty Payments of Less Than \$10,000

Payment of a civil penalty of less than \$10,000 proposed or assessed, under Subpart B of Part 190 of the Pipeline Safety Regulations can be made by certified check, money order or wire transfer. Payment by certified check or money order (containing the CPF Number for this case) should be made payable to the "Department of Transportation" and should be sent to:

Federal Aviation Administration
 Mike Monroney Aeronautical Center
 Financial Operations Division (AMZ-341) P.O. Box 25082
 Oklahoma City, OK 73125-4915

Wire transfer payments of less than \$10,000 may be made through the Federal Reserve Communications System (Fedwire) to the account of the U.S. Treasury. Detailed instructions are provided below. Questions concerning wire transfer should be directed to the Financial Operations Division at (405) 954-8893, or at the above address.

Civil Penalty Payments of \$10,000 or more

Payment of a civil penalty of \$10,000 or more proposed or assessed under Subpart B of Part 190 of the Pipeline Safety Regulations must be made wire transfer (49 C.F.R. § 89.21 (b)(3)), through the Federal Reserve Communications System (Fedwire) to the account of the U.S. Treasury. Detailed instructions are provided below. Questions concerning wire transfers should be directed to the Financial Operations Division at (405) 954-8893, or at the above address.

INSTRUCTIONS FOR ELECTRONIC FUND TRANSFERS

(1) <u>RECEIVER ABA NO.</u> 021030004	(2) <u>TYPE/SUB-TYPE</u> (Provided by sending bank)
(3) <u>SENDING BANK ABA NO.</u> (Provided by sending bank)	(4) <u>SENDING BANK REF NO.</u> (Provided by sending bank)
(5) <u>AMOUNT</u>	(6) <u>SENDING BANK NAME</u> (Provided by sending bank)
(7) <u>RECEIVER NAME</u> TREAS NYC	(8) <u>PRODUCT CODE</u> (Normally CTR, or as provided by sending bank)
(9) <u>BENEFICIAL (BNF) = AGENCY LOCATION CODE</u> BNF = /ALC-69-14-0001	(10) <u>REASONS FOR PAYMENT</u> Example: PHMSA - CPF # / Ticket Number/Pipeline Assessment number

INSTRUCTIONS: You, as sender of the wire transfer, must provide the sending bank with the information for blocks (1), (5), (7), (9), and (10). The information provided in Blocks (1), (7), and (9) are constant and remain the same for all wire transfers to the Pipeline and Hazardous Materials Safety Administration, Department of Transportation.

Block #1 - RECEIVER ABA NO. - "021030004". Ensure the sending bank enters this 9-digit identification number; it represents the routing symbol for the U.S. Treasury at the Federal Reserve Bank in New York.

Block #5 - AMOUNT - You as the sender provide the amount of the transfer. Please be sure the transfer amount is punctuated with commas and a decimal point. **EXAMPLE: \$10,000.00**

Block #7 - RECEIVER NAME - "TREAS NYC". Ensure the sending bank enters this abbreviation. It must be used for all wire transfers to the Treasury Department.

Block #9 - BENEFICIAL - AGENCY LOCATION CODE - "BNF=/ALC-69-14-0001". Ensure the sending bank enters this information. This is the Agency Location Code for the Pipeline and Hazardous Materials Safety Administration, Department of Transportation.

Block #10 - REASON FOR PAYMENT - "AC-payment for PHMSA Case # / To ensure your wire transfer is credited properly, enter the case number/ticket number or Pipeline Assessment number, and country."

NOTE: A wire transfer must comply with the format and instructions or the Department cannot accept the wire transfer. You as the sender can assist this process by notifying the Financial Operations Division (405) 954-8893 at the time you send the wire transfer.

May 2007