

CERTIFIED MAIL - RETURN RECEIPT REQUESTED

May 26, 2016

Mr. Brad Shamla
Vice President, US Operations
Enbridge Storage (Cushing), L.L.C.
1100 Louisiana Street, Suite 3300
Houston, TX 77002

CPF 4-2013-5005M

Dear Mr. Shamla:

On In November 2011, pursuant to 49 U.S.C. § 60117, a representative of the Pipeline and Hazardous Materials Safety Administration (PHMSA), Office of Pipeline Safety (OPS), inspected the operating and maintenance procedures for Enbridge Pipelines (Ozark), LLC (Enbridge), a subsidiary of Enbridge Energy Partners, L.P., at its facilities in Cushing, Oklahoma. This facility has since been reincorporated under the name Enbridge Storage (Cushing), L.L.C. As a result of the inspection, Enbridge was issued a Notice of Amendment (NOA) on March 4, 2013, which proposed amendment of your procedures. The Enbridge responses to the NOA were not adequate and on March 23, 2015, PHMSA issued an Order Directing Amendment.

Enbridge responded by submitting revised procedures on July 31, 2015, August 19, 2015, and September 12, 2015. A PHMSA review of the Enbridge response found the procedure revisions to be acceptable.

This letter is to inform you no further action is necessary and this case is now closed. Thank you for your cooperation.

Sincerely,

R. M. Seeley
Director, Southwest Region
Pipeline and Hazardous Materials Safety Administration