

CERTIFIED MAIL - RETURN RECEIPT REQUESTED

January 12, 2018

Mr. Steve Bergstrom
Executive Chairman, President and Chief Executive Officer
American Midstream Partners, LP
1400 16th Street, Suite 310
Denver, CO 80202

CPF 4-2015-1007

Dear Mr. Bergstrom:

From June 16, 2014 through June 23, 2014, representatives from the Pipeline and Hazardous Materials Safety Administration (PHMSA), pursuant to Chapter 601 of 49 United States Code, conducted a Control Room Management inspection of American Midstream Partners, LP (AMID) in Houston, TX. As a result of the inspection AMID was issued a to Notice of Probable Violation (NOPV) and Proposed Compliance Order and Notice of Amendment (NOA) on April 20, 2015, which proposed amendment of your procedures and submission of records for the amended procedures.

AMID submitted its amended procedures on March 15, 2017. Also, AMID submitted the appropriate records with respect to the amended procedures on October 3, 2017 and were in compliance. My staff reviewed the documents and it appears that the inadequacies outlined in this Notice of Amendment have been corrected.

This letter is to inform you no further action is necessary and this case is now closed. Thank you for your cooperation.

Sincerely,

Terri J. Binns
Acting Director, Southwest Region
Pipeline and Hazardous Materials Safety Administration