



U.S. Department
of Transportation

**Pipeline and
Hazardous Materials Safety
Administration**

8701 S. Gessner, Suite 630
Houston, TX 77074

CERTIFIED MAIL - RETURN RECEIPT REQUESTED

July 12, 2018

Mr. Terry McGill
President
CCPS Transportation, LLC
1100 Louisiana Street Suite 3300
Houston, TX 77002

CPF 4-2017-5037

Dear Mr. McGill:

On November 7, 2017, CCPS Transportation, LLC (“Enbridge”) was issued a Notice of Probable Violation for the case number referenced above. This Notice cited Enbridge for failure to comply with the terms of the Compliance Order issued on October 8, 2015 in CPF 4-2014-5005.

Upon further deliberation, PHMSA has decided to provide Enbridge with the opportunity to provide more information relating to its compliance actions.

This letter is to inform you that PHMSA hereby withdraws the Notice without prejudice and that the case is now closed. PHMSA retains its authority to review Enbridge’s actions relating to the Compliance Order as issued in CPF 4-2014-5005, and reserves its right to seek enforcement if necessary.

Sincerely,

Mary L. McDaniel, P.E.
Director, Southwest Region
Pipeline and Hazardous Materials Safety Administration

cc:

Mr. Darren J. Hunter, Rooney Rippie & Ratnaswamy LLP, Kingsbury Center, Ste. 600, 350 W Hubbard St., Chicago, IL 60654

Mr. Mark A. Maki, President, Enbridge Energy Partners LP, 1100 Louisiana St., Ste. 3300, Houston, TX 77002