



03-03-08P01:07 RCVD

PO BOX 196660

ANCHORAGE, ALASKA 99519-6660

TELEPHONE (907) 787-8700

February 26, 2008

Government Letter No.: 15126
APSC File No. 2.07

Mr. Chris Hoidal, Western Region Director
U.S. Department of Transportation
Pipeline and Hazardous Materials Safety Administration
12300 West Dakota Avenue, Suite 110
Lakewood, CO 80228

Re: Notice of Probable Violation CPF No. 5-2007-5041

Dear Mr. Hoidal:

Attached please find Alyeska Pipeline Service Company's detailed response to the Pipeline and Hazardous Materials Safety Administration's Notice of Probable Violation CPF No. 5-2007-5041, dated November 27, 2007. Alyeska believes that this response will provide adequate clarification and additional information on the findings issued by PHMSA. However, Alyeska requests an in-person hearing, per 49 CFR §190.211, regarding these issues. Please consider the attached as the statement of issues Alyeska intends to raise at the hearing. Alyeska will be represented at hearing by counsel.

We hope you will find this material helpful. Should you have further questions, please do not hesitate to contact me at (907) 787-8061.

Sincerely,

Joseph P. Robertson, P.E.
JPO/ DOT Liaison Director

JR/leb

Attachment: Alyeska Pipeline Service Company's Response to NOPV CPF 5-2007-5041.

cc: Jon Strawn
Jerry L. Brossia
Dennis Hinnah
Mike Thompson
JPO Records Center

CERTIFIED MAIL 7002 2410 0005 0103 0104