



U.S. Department
of Transportation

**Pipeline and
Hazardous Materials Safety
Administration**

12300 W. Dakota Ave., Suite 110
Lakewood, CO 80228

CERTIFIED MAIL - RETURN RECEIPT REQUESTED

May 1, 2015

Mr. Joe Flores
Public Works Manager
City of Victorville
P.O. Box 5001
Victorville, CA 92392

CPF 5-2014-0007M

Dear Mr. Flores:

On October 21-24, 2013, a representative from the Pipeline and Hazardous Materials Safety Administration (PHMSA), pursuant to chapter 601 of 49 United States Code, conducted an on-site pipeline safety inspection of City of Victorville's procedures in Victorville, California. As a result of the inspection, City of Victorville was issued a Notice of Amendment on December 9, 2014, which proposed amendment of your procedures.

City of Victorville submitted its amended procedures on January 22, 2015. My staff reviewed the amended procedures, and it appears that the inadequacies outlined in this Notice of Amendment have been corrected for Items 1 and 2. However, Item 3 cited in the original Notice still had not been adequately revised.

On February 19, 2015, City of Victorville was issued a letter of Inadequate Response, which proposed amendment of your procedures to address Item 3. City of Victorville submitted its amended procedures on April 9, 2015. My staff reviewed the amended procedures, and it appears that the inadequacy outlined in the letter of Inadequate Response has been corrected.

This letter is to inform you no further action is necessary and this case is now closed. Thank you for your cooperation.

Sincerely,

Chris Hoidal
Director, Western Region
Pipeline and Hazardous Materials Safety Administration

cc: PHP-60 Compliance Registry
PHP-500 C. Ishikawa (#144260)