



U.S. Department
of Transportation

Pipeline and Hazardous Materials
Safety Administration

12300 W. Dakota Ave., Suite 110
Lakewood, CO 80228

CERTIFIED MAIL - RETURN RECEIPT REQUESTED

November 18, 2015

Mr. Jared Green
President
ENSTAR Natural Gas Company
P.O. Box 190288
Anchorage, AK 99519-0288

**CPF 5-2015-0005M
Case Closure**

Dear Mr. Green:

On March 17-21, 2014, April 28-May 2, 2014, and June 2-6, 2014, a representative from the Pipeline and Hazardous Materials Safety Administration (PHMSA), pursuant to chapter 601 of 49 United States Code, conducted an on-site pipeline safety inspection of ENSTAR Natural Gas Company's (ENSTAR) Standard Operating Procedures (SOPs) in Anchorage, Alaska. As a result of the inspection, ENSTAR was issued a Notice of Amendment on June 8, 2015, which proposed amendment of your procedures.

ENSTAR submitted its amended SOPs on August 10, 2015, in a letter dated August 4, 2015. PHMSA reviewed the amended procedures and found two items insufficient, as described in a September 24, 2015 Inadequate Response letter. ENSTAR further modified its SOPs and submitted them October 26, 2015. PHMSA reviewed the second amendment of the procedures, and it appears that the inadequacies outlined in the Notice of Amendment and the Inadequate Response letter, have been corrected.

This letter is to inform you no further action is necessary and this case is now closed.

Sincerely,

For Chris Hoidal
Director, Western Region
Pipeline and Hazardous Materials Safety Administration

cc: PHP-60 Compliance Registry
PHP-500 D. Hassell (#145394)