

CERTIFIED MAIL - RETURN RECEIPT REQUESTED

September 16, 2016

Ms. Alicia Moy
President & CEO
Hawaii Gas
745 Fort Street Mall, Ste. 1800
Honolulu, Hawaii 96813

**CPF 5-2016-0010M
Closure Letter**

Dear Ms. Moy:

On October 20-24 and October 27-30, 2014, a representative from the Pipeline and Hazardous Materials Safety Administration (PHMSA), pursuant to chapter 601 of 49 United States Code, conducted an on-site pipeline safety inspection of Hawaii Gas' Distribution Integrity Management Program (DIMP) procedures in Honolulu, Hawaii. As a result of the inspection, Hawaii Gas was issued a Notice of Amendment on July 28, 2016, which proposed amendment of your procedures.

Hawaii Gas submitted its amended procedures on August 26, 2016. My staff reviewed the amended procedures, and it appears that the inadequacies outlined in this Notice of Amendment have been corrected.

This letter is to inform you no further action is necessary and this case is now closed. Thank you for your cooperation.

Sincerely,

Chris Hoidal,
Director, Western Region
Pipeline and Hazardous Materials Safety Administration

cc: PHP-60 Compliance Registry
PHP-500 C. Ishikawa (#147744)