

VIA E-MAIL TO MS. ALLISON IVERSON

June 4, 2021

Ms. Allison Iverson
HSEC Director
Alyeska Pipeline Service Company
3700 Centerpoint Drive
P.O. Box 196660, MS 502
Anchorage, Alaska 99519-6660

**CPF 5-2021-014-NOA
Closure Letter**

Dear Ms. Iverson:

During the week of August 17 through 21, 2020, representatives of the Pipeline and Hazardous Materials Safety Administration (PHMSA), pursuant to Chapter 601 of 49 United States Code (U.S.C.), performed a virtual inspection of the Alyeska Pipeline Service Company's Control Room located in Anchorage, Alaska. This inspection included procedures, records, and virtual observations associated with the Control Room Management Program.

As a result of the inspection, Alyeska was issued a Notice of Amendment on April 14, 2021, which proposed amendment of your procedures.

Alyeska submitted its amended procedures on May 10, 2021. My staff reviewed the amended procedures, and it appears that the inadequacies outlined in this Notice of Amendment have been corrected.

This letter is to inform you no further action is necessary and this case is now closed. Thank you for your cooperation.

Sincerely,

Dustin Hubbard
Director, Western Region
Pipeline and Hazardous Materials Safety Administration

cc: PHP-60 Compliance Registry
PHP-500 D. Fehling (#20-173102)