



U.S. Department
of Transportation

**Pipeline and
Hazardous Materials Safety
Administration**

901 Locust Street, Suite 462
Kansas City, MO 64106-2641

CERTIFIED MAIL - RETURN RECEIPT REQUESTED

December 20, 2011

Mr. Jim Benning, Director
City of Duluth Public Works and Utilities
City Hall
411 West 1st Street
Duluth, MN 55802

CPF 3-2011-1005M

Dear Mr. Benning:

On May 10-12, 2010, representatives from the Pipeline and Hazardous Materials Safety Administration (PHMSA), pursuant to chapter 601 of 49 United States Code, conducted an on-site pipeline safety inspection of Duluth Public Works and Utilities (Duluth) procedures in Duluth, Minnesota. As a result of the inspection, Duluth was issued a Notice of Amendment on April 7, 2011, which proposed amendment of your procedures.

Duluth submitted its amended procedures on August 8, 2011 and additional changes on November 8, 2011. My staff reviewed the amended procedures, and it appears that the inadequacies outlined in this Notice of Amendment have been corrected.

This letter is to inform you no further action is necessary and this case is now closed. Thank you for your cooperation.

Sincerely,

David Barrett
Director, Central
Pipeline and Hazardous Materials Safety Administration