



U.S. Department
of Transportation
**Pipeline and Hazardous
Materials Safety
Administration**

901 Locust Street, Suite 480
Kansas City, MO 64106

VIA ELECTRONIC MAIL TO: paul.bieniawski@enstorinc.com & todd.cash@enstorinc.com

November 16, 2021

Paul Bieniawski
Chief Executive Officer
Enstor Mississippi Hub
10375 Richmond Avenue, Suite 1900
Houston, TX 77042

Re: CPF 3-2021-055-NOA

Dear Mr. Bienaiwski:

From November 2 through 6, 2021, a representative from the Pipeline and Hazardous Materials Safety Administration (PHMSA), pursuant to chapter 601 of 49 United States Code, conducted a remote pipeline safety inspection of Enstor Mississippi Hub procedures in Control Room Management. As a result of the inspection, Enstor Mississippi Hub was issued a Notice of Amendment on September 10, 2020, which proposed amendment of your procedures.

Enstor Mississippi Hub submitted its amended procedures on November 10, 2021. My staff reviewed the amended procedures, and it appears that the inadequacies outlined in this Notice of Amendment have been corrected.

This letter is to inform you no further action is necessary and this case is now closed. Thank you for your cooperation.

Sincerely,

Gregory A. Ochs
Director, Central Region, Office of Pipeline Safety
Pipeline and Hazardous Materials Safety Administration

cc: Todd Cash, Director Compliance todd.cash@enstorinc.com