

VIA ELECTRONIC MAIL TO: kevin.ruffatto@enbridge.com; stacy.soine@enbridge.com

December 10, 2024

Kevin Ruffatto
VP, US Operations
Enbridge Storage Cushing, LLC
915 N Eldridge Parkway, Suite 1100
Houston, TX 77079

RE: CPF 3-2024-023-NOA

Dear Mr. Ruffatto:

From September 18 to September 28, 2023, a representative of the Pipeline and Hazardous Materials Safety Administration (PHMSA), pursuant to Chapter 601 of 49 United States Code (U.S.C.), conducted an on-site inspection of Enbridge Storage Cushing, LLC (Enbridge Cushing) procedures for Control Room Management (CRM) in Cushing, Oklahoma. As a result of the inspection, Enbridge Cushing was issued a Notice of Amendment on May 10, 2024, which proposed amendment of your procedures

Enbridge Cushing submitted its amended procedures on December 6, 2024. My staff reviewed the amended procedures, and it appears that the inadequacies outlined in this Notice of Amendment have been corrected.

This letter is to inform you that no further action is necessary, and this case is now closed. Thank you for your cooperation.

Sincerely,

Gregory A. Ochs
Director, Central Region, Office of Pipeline Safety
Pipeline and Hazardous Materials Safety Administration

cc: Stacy Soine, Advisor Regulatory Compliance, Enbridge Cushing, stacy.soine@enbridge.com