



Via Email

March 14, 2022

Ms. Mary L. McDaniel P.E.,
Director Southwest Region
Pipeline and Hazardous Materials Safety Administration
8701 S. Gessner, Suite 1110
Houston, Texas 77074

RE: In the Matter of Eagle US 2 LLC, CPF 4-2022-018-NOPV, Notice of Probable Violation and Proposed Compliance Order

Dear Ms. McDaniel,

I write on behalf of Eagle US 2 LLC ("Eagle") in response to the Notice of Probable Violation and Proposed Compliance Order issued in the above-referenced case on February 14, 2022 ("NOPV"). Eagle does not contest the violations alleged in the NOPV and is coordinating the activities necessary to address each item. As communicated by phone on March 2, 2022, Eagle agrees to implement the activities set forth in the Proposed Compliance Order, but anticipates that additional time will be needed to complete such activities. Specifically, Eagle is in the process of resolving a dispute with a third-party that will clarify the access rights necessary to complete the Compliance Order requirements. Accordingly, Eagle expects that it may request an extension of time for Eagle to submit documentation demonstrating compliance with item A in the Compliance Order.

Eagle appreciates PHMSA's time and attention to this matter. Please do not hesitate to contact me should you have any questions.

Sincerely,

A handwritten signature in blue ink, appearing to read "Curtis Brescher".

Curtis Brescher
Director, Operations

2801 Post Oak Blvd., Ste. 600 | Houston, Texas 77056 | T. 713.960.9111

www.Westlake.com